

19

CHAPIN

City of Batavia

11

0

## **Professional Salt Spreaders** Our Best Stainless Steel Professional Spreader



Spread like a true professional with the Stainless Steel Salt Spreader. This high-value, highperformance spreader boasts all of the best features, such as a heavy-duty stainless steel frame, metal gears, and wide pneumatic tires.



Enclosed Metal Gears Designed for heavy use



**Grease Fitting** Easy-access grease fitting to keep gearbox lubricated



**T-Handle** With Rubber Grips Heavy duty for professional use



Wide Tread **Pneumatic Tires** Heavy duty for professional use



Auger pattern tears up clumps



Aggressive spike



**Rolled Edges NO WELDS to rust** 

Stainless Steel\* Frame Engineered for maximum hopper support and corrosion resistance



**Adjustable Front** and Side Baffles For directional control of spread pattern



Solid Steel Linkage With Gate Control Opens and closes the gate in incremental steps

82500B 100 LB Stainless Steel Salt Spreader

CHAPIN



Steel Grate & Rain Cover Included

		UPC	Pack			Carton	Pallet	Pallet	Pallet	
SKU	Description	(0-23883)	Tires	Gears	Qty	<b>Carton Dimensions</b>	ft³	Size in	ft³	Qty
82500B	100 lb Stainless Steel Salt Spreader	82500-3	14" Pneumatic	Metal	1	27.5 x 17.5 x 28.88	8.04	48 x 40	68.89	6



## **Professional & Contractor Salt & Ice Melt Spreaders**







Enclosed Metal Gears Designed for heavy use



Grease Fitting Easy-access grease fitting to keep gearbox lubricated (82108B)



Solid Steel Linkage With Gate Control Opens and closes the gate in incremental steps



Stainless Steel Frame For maximum hopper support and corrosion resistance (82088B - Black Powder Coated Steel)



Wide Tread Pneumatic Tires Heavy duty for professional use 82108B -14 in. 82088B - 12 in.



Adjustable Front and Side Baffles For directional control of spread pattern



82108B 100 LB Professional Salt Spreader

CHAPIN



Adjustable Slide Gate Large adjustable opening for spreading a broad range of product

Grate & Rain Cover Included



Auger Aggressive spike pattern tears up clumps

CHAPIN



T-Handle With Rubber Grips Heavy duty for professional use



82088B 80 LB Contractor Salt Spreader

SKU	Description	UPC (0-23883)	Tires	Gears	Pk Qty	<b>Carton Dimensions</b>	Carton ft <sup>3</sup>	Pallet in.	Pallet ft <sup>3</sup>	Pallet Qty
82108B	100 lb Professional Salt Spreader	82108-1	14" Pneumatic	Metal	1	24.25 x 19 x 25.75	6.86	48 x 40	89.4	12
82088B	80 lb Contractor Salt Spreader	82088-6	12" Pneumatic	Metal	1	24.25 x 19 x 25.75	6.86	48 x 40	89.4	12



## **Residential Salt Spreaders**





12" Pneumatic Tires Provide stability over uneven terrain



**Adjustable Front** and Side Baffles For directional control of spread pattern



**Powder Coated Steel Frame** Longlasting durable finish



**Adjustable Gate Dial on Hopper** Base For accurate spread settings



Auger Spiked auger helps agitate material and minimize clumping





8201A

IMITED

Δ



**U-Shaped** Flip Up Handle For easy assembly



Wide Tread 10" **Pneumatic Tires** Provide stability over uneven terrain



Adjustable Gate Settings For accurate spread settings



**Adjustable Front** and Side Baffles For directional control of spread pattern



Auger Spiked auger helps agitate material and minimize clumping



CHAPIN

81008A



**U-Shaped** Flip Up Handle Assembles easily with no tools required



Handle With 30 Gate **Adjustment Settings** For accurate spread settings



**Sliding Baffles** For directional control of spread pattern



**Rotary Gate** For an even spread pattern



Auger Spiked auger helps agitate material and minimize clumping



80028A

SKU	Description	UPC (0-23883)	Tires	Gears	Pk Qty	<b>Carton Dimensions</b>	Carton ft <sup>3</sup>	Pallet Size in	Pallet ft <sup>3</sup>	Pallet Qty
8201A	80 lb Residential Salt Spreader	08201-7	12" Pneumatic	Acetal	1	24.25 x 20.75 x 27.75	7.8	48 x 40	96.2	12
81008A	80 lb Residential Salt Spreader	81008-5	10" Pneumatic	Acetal	1	24 x 19 x 22	5.81	48 x 40	103.3	16
80028A	70 lb Salt Spreader	80028-4	10" Solid	Acetal	1	22.25 x 18.63 x 19.5	4.6	48 x 40	97.9	16